

## Fuels from microalgae

*Biofuels* (2010) 1(2), 233–235



“ Algal biofuels have a clear potential for contributing to environmental, social and economic sustainability. ”

Yusuf Chisti<sup>†</sup>



Microalgae are microscopic plants that make seas, lakes and rivers green. Algae and some other organisms use sunlight to produce biochemical energy via photosynthesis, the ultimate source of all biofuels. Algal biofuels are potentially renewable and their production is sustainable so long as the sun shines. Production of fuels and chemicals from renewable algal biomass has the potential to be carbon neutral.

Coal, petroleum and natural gas are cheap and may not run out soon. Nevertheless, we have to decide whether the adverse economic impact of the greenhouse gases associated with the use of fossil fuels outweighs their continued use. Many in the scientific community are convinced that at current levels, continued emissions of manmade greenhouse gases is incompatible with our survival. Considering the global environmental impact of carbon dioxide emissions, there appears to be no net economic benefit of using fossil fuels. Sustainable alternatives to fossil fuels are necessary not just for energy but also for the many other products that are sourced from coal, petroleum and natural gas [1]. Algal fuels are one potentially sustainable alternative to fossil fuels.

Algal biofuels have a tremendous variety. Photosynthetically produced algal biomass may be used directly as a solid biofuel to generate heat, steam and electricity. Alternatively, the biomass may be converted

to gaseous biofuels, such as biogas and biohydrogen, by various types of microbial processes [2–9]. Biohydrogen can also be produced directly from sunlight using photobiological microbial processes [10]. Algal biomass can be tailormade to be rich in starch that can be easily fermented to liquid biofuels such as bioethanol and biobutanol [11]. In addition, sunlight can be used directly to produce algal bioethanol from carbon dioxide without the involvement of a separate fermentation step [12]. Some algae are rich in oils [13–15] and others can be grown under conditions that favor accumulation of large quantities of oil [14,16]. Algal oils may be similar to other vegetable oils, or they may be mainly hydrocarbons [13], depending on the algal species used to produce them. Algal oils can be converted to diesel, gasoline and jet fuel using existing technology [16].

In view of their tremendous potential, algae are receiving much attention as possible sources of energy-dense liquid transport fuels [13–20]. Production of algae-based liquid fuels is being intensively investigated by nearly every major oil company [20–26] and many emerging companies [20,27] as a potential replacement for petroleum. Direct production of bioethanol via algal photosynthesis is being actively developed [12]. Algal crude oil and biomass are potentially important renewable feedstocks for the future chemical industry [1].

<sup>†</sup>School of Engineering, Massey University, Private Bag 11, 222, Palmerston North, New Zealand  
E-mail: [y.chisti@massey.ac.nz](mailto:y.chisti@massey.ac.nz)

Nearly all the biofuels that can be sourced from algae can also be produced by crop plants. Why then the interest in algae? This is simply because algae are more productive than plants. Under suitable culture conditions, the biomass and oil productivity of microalgae greatly exceeds that of vascular plants [14,17]. For example, the median value of the maximum specific growth rate of microalgal species is approximately 1 day<sup>-1</sup> whereas for higher plants it is 0.1 day<sup>-1</sup> or less [28]. Each algal cell is photosynthetically active whereas only a fraction of the plant biomass photosynthesizes. Each algal cell can absorb nutrients directly from its surroundings and, therefore, algae do not have to rely on energy-consuming, long-distance transport of nutrients via roots and stem.

“Under suitable culture conditions, the biomass and oil productivity of microalgae greatly exceeds that of vascular plants.”

In addition to light, photosynthesis requires carbon dioxide. In plants, photosynthetic tissue can access carbon dioxide only through pores known as stomata. These pores are not always open and carbon dioxide must move through them against a flow of water vapor. The carbon dioxide diffusion pathway from the surface of the photosynthetic tissue to a photosynthesizing cell is much longer in plants than in microalgae and increases with increasing thickness of the photosynthetic structure [28,29]. Algae, therefore, can access carbon dioxide more easily than vascular plants and this contributes to the relatively rapid growth of algae.

Owing to its high solubility in water, the equilibrium concentration of carbon dioxide in an algal suspension is greater than in the atmosphere above the suspension. Effectively, water enriches carbon dioxide that is essential for photosynthesis. This too improves algal productivity relative to plants. Furthermore, because of a short lifecycle, algal biomass can be harvested daily or hourly, whereas plant biomass typically remains in the field for much longer.

Unfortunately, owing to the low productivity of plants, existing plant-derived biofuels cannot displace petroleum-based transport fuels to any significant

extent [14,17]. This severe limitation can only be overcome with a new generation of biofuels such as algae-based fuels. Unlike the existing crop-derived biofuels, algal fuels can be produced without encroaching on cropland and without further deforestation [14,17]. Production of algal biofuels need not reduce the supply of food, feed, other agricultural products and freshwater [14,17].

Production of some existing biofuels demands unsustainable inputs of nitrogenous fertilizers, which are generated from fossil fuels and require huge inputs of energy to produce [30]. Some plant-symbiotic bacteria, algae and other photosynthetic microorganisms can naturally convert the atmospheric nitrogen to a form that can be used by life forms, but most crop plants and microalgae being considered for producing biofuels do not do this. Engineering plants and algae for nitrogen fixation capability is therefore important for sustainable production of biofuels.

Production of all kinds of biofuels, including biomass itself, can be improved substantially by genetic and metabolic engineering [1,14,31–40], bioprocess engineering [3,14,41,42], the use of extremophilic species [43], and in other ways [2]. The future of biofuels is intertwined with genetic and metabolic engineering.

No form of renewable energy can fuel infinite growth and, therefore, society will have to learn to live within limits, including limits on population. Increasing the efficiency of energy use will be essential and will need to be achieved without changes to the lifestyle that we are accustomed to in the developed world. Within the constraints of sustainability, all humanity must attain an equitable quality of life. Algal biofuels have a clear potential for contributing to environmental, social and economic sustainability.

#### Financial & competing interests disclosure

The author has no relevant affiliations or financial involvement with any organization or entity with a financial interest in or financial conflict with the subject matter or materials discussed in the manuscript. This includes employment, consultancies, honoraria, stock ownership or options, expert testimony, grants or patents received or pending, or royalties.

No writing assistance was utilized in the production of this manuscript.

#### Bibliography

Papers of special note have been highlighted as:

■ of interest

■ of considerable interest

1 Gavrilescu M, Chisti Y. Biotechnology – a sustainable alternative for chemical industry. *Biotechnol. Adv.* 23, 471–499 (2005).

2 Reeve JN. Molecular-biology of methanogens. *Ann. Rev. Microbiol.* 46, 165–191 (1992).

3 Mata-Alvarez J, Mace S, Llabres P. Anaerobic digestion of organic solid wastes. An overview of research achievements and perspectives. *Bioresour. Technol.* 74, 3–16 (2000).

4 Kapdan IK, Kargi F. Bio-hydrogen production from waste materials. *Enzyme Microb. Technol.* 38, 569–582 (2006).

5 Gunnarsson CC, Petersen CM. Water hyacinths as a resource in agriculture and energy production: a literature review. *Waste Manag.* 27, 117–129 (2007).

6 Logan BE, Call D, Cheng S *et al.* Microbial electrolysis cells for high yield hydrogen gas production from organic matter. *Environ. Sci. Technol.* 42, 8630–8640 (2008).

- 7 Prochnow A, Heiermann M, Plochl M *et al.* Bioenergy from permanent grassland – a review: 1. Biogas. *Bioresour. Technol.* 100, 4931–4944 (2009).
- 8 Hallenbeck PC, Ghosh D. Advances in fermentative biohydrogen production: the way forward? *Trends Biotechnol.* 27, 287–297 (2009).
- 9 Sialve B, Bernet N, Bernard O. Anaerobic digestion of microalgae as a necessary step to make microalgal biodiesel sustainable. *Biotechnol. Adv.* 27, 409–416 (2009).
- **Discusses how anaerobic digestion can enhance energy recovery from algae.**
- 10 Allakhverdiev SI, Kreslavski VD, Thavasi V *et al.* Hydrogen photoproduction by use of photosynthetic organisms and biomimetic systems. *Photochem. Photobiol. Sci.* 8, 148–156 (2009).
- 11 Matsumoto M, Yokouchi H, Suzuki N, Ohata H, Matsunaga T. Saccharification of marine microalgae using marine bacteria for ethanol production. *Appl. Biochem. Biotechnol.* 105, 247–254 (2003).
- 12 Williams D. Algenol Biofuels announces plan to build and operate a pilot-scale algae-based integrated biorefinery. *J. Can. Petroleum Technol.* 48(8), 6–8 (2009).
- 13 Banerjee A, Sharma R, Chisti Y, Banerjee UC. *Botryococcus braunii*: a renewable source of hydrocarbons and other chemicals. *Crit. Rev. Biotechnol.* 22, 245–279 (2002).
- 14 Chisti Y. Biodiesel from microalgae. *Biotechnol. Adv.* 25, 294–306 (2007).
- **Comprehensively reviews the potential of biodiesel from microalgae.**
- 15 Mata TM, Martins AA, Caetano NS. Microalgae for biodiesel production and other applications: a review. *Renew Sust. Energ. Rev.* 14, 217–232 (2010).
- **Good review of microalgae as biofuels.**
- 16 Mazzuca Sobczuk T, Chisti Y. Potential fuel oils from the microalga *Choricystis minor*. *J. Chem. Technol. Biotechnol.* 85, 100–108 (2010).
- **Discusses oil accumulation by a freshwater microalga. Some of the methods for enhancing the oil content and quality are demonstrated.**
- 17 Chisti Y. Biodiesel from microalgae beats bioethanol. *Trends Biotechnol.* 26, 126–131 (2008).
- **Argues microalgae to be a superior source of biofuels compared with bioethanol, the best known current biofuel.**
- 18 Dismukes GC, Carrieri D, Bennette N, Ananyev GM, Posewitz MC. Aquatic phototrophs: efficient alternatives to land-based crops for biofuels. *Curr. Opin. Biotechnol.* 19, 235–240 (2008).
- 19 Weyer KM, Bush DR, Darzins A, Willson BD. Theoretical maximum algal oil production. *Bioenerg. Res.* DOI: 10.1007/s12155-009-9046-x (2010).
- **Excellent discussion of the capability of microalgae for converting sunlight to bioenergy under different scenarios.**
- 20 Mascarelli AL. Algae: fuel of the future. *Environ. Sci. Technol.* 43, 7160–7161 (2009).
- 21 McCoy M. Exxon invests in algal biofuels. *Chem. Eng. News* 87(29), 15 (2009).
- 22 Anon. Analysis: shell and biopetroleum in biofuels JV. *Chemical Engineer* 800, 4 (2008).
- 23 Service RF. Biofuels: ExxonMobil fuels Venter's efforts to run vehicles on algae-based oil. *Science* 325(5939), 379 (2009).
- 24 Voith M. Dow plans algae biofuels pilot. *Chem. Eng. News* 87(27), 10 (2009).
- 25 Voith M. BP and Martek join for algal biofuel. *Chem. Eng. News* 87(33), 17 (2009).
- 26 Anon. ExxonMobil invests in algae for biofuel. *Nature* 460(7254), 449 (2009).
- 27 LeBlanc GM Jr. PetroSun starts commercial algae biofuel farm. *Industrial Bioprocessing* 30(4), 3 (2008).
- 28 Nielsen SL, Enríquez S, Duarte CM, Sand-Jensen K. Scaling maximum growth rates across photosynthetic organisms. *Funct. Ecol.* 10, 167–175 (1996).
- 29 Parkhurst DF. Internal leaf-structure: a three-dimensional perspective. In: *On the Economy of Plant Form and Function*. Givnish TJ (Ed.). Cambridge University Press, Cambridge, 215–250 (1986).
- 30 Chisti Y. Response to Reijnders: do biofuels from microalgae beat biofuels from terrestrial plants? *Trends Biotechnol.* 26, 351–352 (2008).
- **Identifies nitrogen input as an important concern for production of microalgae for fuels.**
- 31 Gressel J. Transgenics are imperative for biofuel crops. *Plant Sci.* 174, 246–263 (2008).
- **Argues the necessity of using transgenics for the production of biofuels.**
- 32 Lynd LR, Laser MS, Bransby D *et al.* How biotech can transform biofuels. *Nat. Biotechnol.* 26(2), 169–172 (2008).
- 33 Alper H, Stephanopoulos G. Engineering for biofuels: exploiting innate microbial capacity or importing biosynthetic potential? *Nat. Rev. Microbiol.* 7, 715–723 (2009).
- 34 Dien BS, Cotta MA, Jeffries TW. Bacteria engineered for fuel ethanol production: current status. *Appl. Microbiol. Biotechnol.* 63, 258–266 (2003).
- 35 Chu BCH, Lee H. Genetic improvement of *Saccharomyces cerevisiae* for xylose fermentation. *Biotechnol. Adv.* 25, 425–441 (2007).
- 36 Torney F, Moeller L, Scarpa A, Wang K. Genetic engineering approaches to improve bioethanol production from maize. *Curr. Opin. Biotechnol.* 18, 193–199 (2007).
- 37 Johnson ET, Schmidt-Dannert C. Light-energy conversion in engineered microorganisms. *Trends Biotechnol.* 26, 682–689 (2008).
- 38 Atsumi S, Higashide W, Liao JC. Direct photosynthetic recycling of carbon dioxide to isobutyraldehyde. *Nat. Biotechnol.* 27, 1177–1180 (2009).
- 39 Beer LL, Boyd ES, Peters JW, Posewitz MC. Engineering algae for biohydrogen and biofuel production. *Curr. Opin. Biotechnol.* 20, 264–271 (2009).
- 40 Sheehan J. Engineering direct conversion of CO<sub>2</sub> to biofuel. *Nat. Biotechnol.* 27, 1128–1129 (2009).
- 41 Chisti Y. Sonobioreactors: using ultrasound for enhanced microbial productivity. *Trends Biotechnol.* 21, 89–93 (2003).
- 42 Wyman CE. What is (and is not) vital to advancing cellulosic ethanol. *Trends Biotechnol.* 25, 153–157 (2007).
- 43 Antoni D, Zverlov VV, Schwarz WH. Biofuels from microbes. *Appl. Microbiol. Biotechnol.* 77, 23–35 (2007).